Total number of printed pages-7

3 (Sem-1/CBCS) CHE HC 1

2021 (Held in 2022)

CHEMISTRY

(Honours)

Paper: CHE-HC-1016

(Inorganic Chemistry-I)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer the following questions: 1×7=7
 - (a) What is eigenvalue?
 - (b) What is normalisation constant?
 - (c) How many unpaired electrons are there in the element present in fourth period and sixth group of the periodic table?

- (d) What is the IUPAC name of the element having atomic no. 114?
- (e) How many unpaired electrons are there in O_2^- ion ?
- (f) What type of hybridisation does the central atom of BeH₂ molecule undergo?
- (g) What is the covalency of chlorine in Cl_2O_7 molecule?

[Lungiansk] binocronit

- 2. Answer the following questions: 2×4=8
 - (a) Find the expression of Bohr's radius for the electron of hydrogen atom.
 - (b) Calculate the effective nuclear change experienced by the 4s electron of copper atom.

- (c) Calculate the limiting radius ratio, $r_{+/r_{-}}$ for Ax_3 type ionic crystal.
- (d) Draw the Lewis electron dot structure of the following:

 $CO, C_2H_2, SO_4^{2-}, NO_2$

- 3. Answer any three questions from the following:

 5×3=15
 - (a) Write a note on Bent's rule.

Linkship bis militaria 1966年的中国

- (b) Using VSEPR theory explain the shapes of the following molecules: $2\frac{1}{2}+2\frac{1}{2}=5$ ClF₃, ICl₂
- (c) Give the basic outlines of molecular orbital theory of covalent bonding. 5
- (d) Taking the example of lithium explain the band theory of metallic bonding.

5

olgranual testiling melocal july

- 4. Answer the following questions: 10×3=30
 - (a) Answer either (i) and (ii) or (iii) and (iv)
 - Find the expression for normalised angular wave function of p_z orbital.
 - (ii) State Pauli's antisymmetry principle. Prove that two electrons with same set of four quantum numbers cannot stay together.

1+3=4

Or

- (iii) Write a note on radial probability distribution function.
- (iv) Explain aufbau principle. 4

- (b) Answer either (i) and (ii) or (iii) and (iv)
 - (i) Discuss the variation in ionisation energies of the elements present in second period of the periodic table.
- (ii) Discuss Mulliken's scale of electronegativity. 5

Or

s le villdiscol sali foilera cr

(iii) What is electron gain enthalpy?
What are the factors on which it
depends? Discuss its variation in
a group and along a period.

1+2+3=6

(iv) Electronegativity values of H, F and Cl are 2.1, 4.0 and 3.5 respectively. Calculate percent ionic character in HCl and HF bond.

- (c) Answer either (i) and (ii) or (iii) and (iv)
 - (i) How can you determine lattice energy of NaCl using Born-Haber cycle. Explain.
 - (ii) What is standard electrode potential? How can it be applied to predict the feasibility of a reaction?

 1+3=4

ti nous tay all semestor sometob

eu a giulis das circus s

(iii) Draw the molecular orbital energy level diagram of CO molecule.

Write its electronic configuration.

Find its bond order and give its magnetic behaviour. 3+1+(1+1)=6

(iv) What is redox reaction? Write the reactions involved in the estimation of Fe²⁺ ion using standardized KMnO₄ solution.

1+3=4

3 (Sem-1/CBCS) CHE HC2

2021 (Held in 2022)

CHEMISTRY

(Honours)

Paper: CHE-HC-1026

(Physical Chemistry-I)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer the following as directed: 1×7=7
 - (a) The compressibility factor for hydrogen and helium gases is less than one at all pressures. (State True or False)

- A real gas obeying the van der Waals' (b) equation will closely resemble an ideal gas, if
 - the parameters a and b are small (i)
 - a is large but b is small (ii)
 - a is small but b is large (iii)
 - (iv) both a and b are large (Choose the correct option)
- A free falling liquid drop is spherical. (c) Explain why.
- Define the term 'plane of symmetry' in (d) crystal system.
- (e) State the law of constancy of interfacial angles.
- (f) Explain why an aqueous solution of Na₂CO₃ is alkaline.
- (g) pH of $1.0 \times 10^{-8} MHCl$ solution is not 8. Explain.
- ell present) 25. ... (Stale line or Feland 2. Answer the following questions: 2×4=8
 - (a) Explain why real gases deviate from ideal behaviour.

- (b) Viscosity of liquids generally decreases while that of gases increases with increase in temperature. Give reasons.
- (c) A crystal plane has intercepts on the three axes of crystal in the ratio $\frac{1}{2}:\frac{2}{3}:\infty$. What are Miller indices of the plane?
 - (d) Calculate pH of a $1.0 \times 10^{-5}M$ NaOH solution at 298K.
- 3. Answer any three of the following questions: 5×3=15
 - (a) (i) Derive van der Waals' equation for n moles of a gas.
 - (ii) Under what conditions a van der Waals' gas behaves ideally?
 - (b) Define critical constants of a gas. Derive the relations expressing the critical constants of a gas in terms of van der Waals' constants.
 - (c) (i) Define surface tension of a liquid.
 Give the SI unit of surface tension.
 How does surface tension of a liquid vary with temperature?

3

- (ii) At 293K, $1.0 \times 10^{-5}m^3$ of water gave 29 drops and same volume of diethyl ether gave 86 drops from the same stalagmometer. At the same temperature density of water is $1.0 \times 10^3 kg m^{-3}$ and that for diethyl ether is $7.0 \times 10^2 kg m^{-3}$. Also at 293K surface tension for water is 72 dyne cm^{-1} . Calculate the surface tension of diethyl ether at 293K.
- (d) Explain the symmetry elements of crystal belonging to simple cubic system.
- (e) Write the dissociation equilibria for a dibasic acid H_2A in aqueous solution. Establish a relation for the dissociation equilibria constant.
- 4. Answer any three of the following questions: 10×3=30
 - (a) (i) Enumerate the assumptions of kinetic theory of gases.
 - (ii) Derive the fundamental kinetic gas equation.

- Calculate the temperature at (iii) which root mean square velocity of N₂ molecules will be 1000ms⁻¹.
- Derive the reduced equation of (i) (b) state from van der Waals' equation. What is the law of corresponding 4+2=6 states?
 - The reduced volume and reduced (ii) temperature of a gas are 10.2 and 0.7 respectively. If the critical pressure of the gas is 42.56 bar, calculate its pressure. 4
- Explain the theory of experimental (i) (c) determination of surface tension of a liquid by drop number method.
 - Explain the effect of addition of (ii) various types of solutes on the surface tension of a liquid.
- (iii) Explain why at the boiling point of a liquid temperature does not rise although this is being heated.

- (ii) X-rays of wavelength 0.15nm are used in an X-ray diffraction experiment. First order diffraction is observed when the angle of incidence is 10.02°. Calculate the interplanar distance in the crystal used.
- (iii) What are liquid crystals? Mention one use of liquid crystal. 3
- (e) (i) What is point defect in a crystal?

 Explain Schottky and Frenkel defects. Give examples.

2+(2+2)+1=7

- (ii) Sketch 100 planes of a cubic lattice.
 - (iii) Explain why Schottky defects decrease the density of crystals.

1

(f) (i) Show the variation of pH with volume of base added during titration of strong acid with strong base and titration of weak acid with strong lease.

(ii) What are acid-base indicators? Explain a theory to explain the behaviour of indicator in acid-base titration. 2+4=6